

www.zygon.ca

info@zygon.ca



ZFH-102 DDA DUCTED PP FUMEHOOD



Ducted PP Fumehood

- It is safer to use anti-corrosive water tap.
- Microprocessor control system, LED display.
- With memory function in case of power-failure.
- Made of porcelain white PP, resistant to acid, alkali and, anti-corrosion.
- Front window which is made of thick transparent toughened glass maximizes light and

visibility inside the fume hood, providing a bright and open working environment.

Specifications	ZFH-102 DDA
External Size (WxDxH)	1247 × 800 × 2450mm
Internal Size (WxDxH)	987 × 560 × 700mm
Work Surface Height	820mm
Max Opening	740mm
Air Velocity	0.3~0.8m/s
Noise	≤68dB
Exhaust Duct	4.3m, Φ250mm
LED Lamp	24W × 1
Blower	Built-in PP centrifugal blower; Speed adjustable
Front Window	Resistant to acid and alkali, Manual, 5mm toughened glass Height adjustable

Specifications	ZFH-102 DDA
Power Supply	AC220V±10%, 50/60Hz; 110V±10%, 60Hz
Consumption	400W
Material	Main Body: Made of Porcelain white PP, thickness 8mm, resistant to strong acid, alkali and anti-corrosion Work Table: Chemical resistant phenolic resin
Standard Accessories	LED light Work table: Chemical resistant phenolic resin 4.3m PVC duct Diameter: 250mm Pipe strap × 2 RVV Power cord (3 × 1.0mm ² × 3000mm) Base cabinet Waterproof socket × 2 Tail insert Water tap (PP) Gas tap (PP) Water Sink PP Centrifugal blower × 1
Gross Weight	Main Body: 155kg Base Cabinet: 99kg or 90kg (Splicable)
Package Size (WxDxH)	Main Body: 1388 × 938 × 1612mm Base Cabinet: 1388 × 888 × 1000mm or 1400 × 1000 × 450mm (Splicable)
Optional Accessories	PP Work table Epoxy resin board or ceramic board Active carbon filter Outer PVC centrifugal blower × 1 Splicable base cabinet