



www.zygon.ca

info@zygon.ca



ZFH-105 DBA

DUCTED PP FUMEHOOD



Ducted PP Fumehood

- It is safer to use anti-corrosive water tap.
- Microprocessor control system, LED display.
- With memory function in case of power-failure.
- Made of porcelain white PP, resistant to acid, alkali and, anti-corrosion.
- Front window which is made of thick transparent toughened glass maximizes light and visibility inside the fume hood, providing a bright and open working environment.

Specifications

ZFH-105 DBA

| | |
|-----------------------|--|
| External Size (WxDxH) | 1547 × 800 × 2450mm |
| Internal Size (WxDxH) | 1287 × 560 × 700mm |
| Work Surface Height | 820mm |
| Max Opening | 740mm |
| Air Velocity | 0.3~0.8m/s |
| Noise | ≤68dB |
| Exhaust Duct | 4.3m, Φ250mm |
| LED Lamp | 30W × 1 |
| Blower | Built-in PP centrifugal blower; Speed adjustable |
| Front Window | Resistant to acid and alkali, Manual, 5mm toughened glass Height adjustable |

| | |
|-----------------------------|---|
| Power Supply | AC220V±10%, 50/60Hz; 110V±10%, 60Hz |
| Consumption | 500W |
| Material | Main Body: Made of Porcelain white PP, thickness 8mm, resistant to strong acid, alkali and anti-corrosion Work Table: Chemical resistant phenolic resin |
| Standard Accessories | LED light Work table: Chemical resistant phenolic resin 4.3m PVC duct Diameter: 250mm Pipe strap × 2 RVV Power cord (3 × 1.0mm ² × 3000mm) Base cabinet Waterproof socket × 2 Tail insert Water tap (PP) Gas tap (PP) Water Sink PP Centrifugal blower × 1 |
| Gross Weight | Main Body: 180kg Base Cabinet: 114kg or 102kg (Splicable) |
| Package Size (WxDxH) | Main Body: 1688 × 938 × 1612mm Base Cabinet: 1688 × 888 × 1000mm or 1700 × 1000 × 450mm (Splicable) |
| Optional Accessories | PP Work table Epoxy resin board or ceramic board Active carbon filter Outer PVC centrifugal blower × 1 Splicable base cabinet |