ZHI-100 ABB
HEATING INCUBATOR

Heating Incubator ZHI-100 ABB

ZHI-100 ABB is a Heating Incubator that is easy to operate, safe and reliable. It comes equipped with a high quality stainless steel chamber and removable shelf which is easy-to-clean. It also has an anti hot handle, silicon sealing ring for reliable sealing, and an inner glass door for easy observation where you can open the outer door for observation will not affect the temperature inside.

It is equipped with spare temperature control which ensures the product work normally even if the main temperature control fails. Comes with an optional printer or RS485 interface which can print or connect computer to realize remote control and alarm.

Microprocessor controller (with temperature correction and timing function).

Equipped with leakage protection

Unique air duct design, good temperature uniformity.

Large LCD screen display

Specifications

ZHI-100 ABB

Chamber Size (WxDxH)cm	50x50x65
Temperature Range	RT + 5°C~66°C
Temperature Fluctuation	±0.5°C
Temperature Uniformity	±1°C
Temperature Resolution	0.1°C
Power Supply	AC220V/50HZ
Package Size (WxDxH)cm	70x68x100
Exterior Size (WxDxH)cm	63x60x97
Shelf	3
Power Rating	450W
Net Weight	65kg
Gross Weight	78kg
Optional Accessories	Multi-segment programmable control Built-in printer RS485 interface UV sterlizer