

zygon

www.zygon.ca

| info@zygon.ca



ZMM-201 ABU METALLURGICAL MICROSCOPE



Upright Metallurgical Microscope, Reflect, Polarizing

- LWD Plan No Cover Glass Objective PL5x,10x,20x,40x,60x
- Double Layer Mechanical Stage 185x140mm, Moving Range 75x40mm
- Polarizer, Built-in Reflect Light Source, Analyzer Built-in Head
- Coaxial Coarse & Fine Focus, Tension Adjustable, With Up Stop
- Reflect 6V20W Halogen Kohler Illumination, With Field Diaphragm, Aperture Diaphragm

Specifications

ZMM-201 ABU

Eyeiece	WF10X(Φ18mm)
Objective	Plan Long Working Distance (No Cover Glass) PL5x/0.12 Plan Long Working Distance (No Cover Glass) PLL10x/0.25 Plan Long Working Distance (No Cover Glass) PLL40x/0.60 Plan Long Working Distance (No Cover Glass) PL 60x/0.75 (Spring)
Head	Trinocular, Inclination Of 30°, Analyzer With Field Diaphragm To Switch
Vertical illumination	6V 20W Halogen Lamp With Brightness Control Vertical Illumination With Field Diaphragm, Aperture Diaphragm And Polarizer, (YBG) Filter And Frosted Filter
Focus System	Coaxial Coarse/ Fine focus System, With Tensional Adjustable And Up Stop, Minimum Division Of Fine Focusing: 2μm
Nosepiece	Quadruple Back Ball Bearing Inner Locating
Stage	Double layer mechanical, size 185x140mm, moving range 75x40mm

Optional Accessories

Specifications

ZMM-201 ABU

Eyepiece	Wide Field WF16x/11mm Dividing 10x, 0.1mm/Div
Objective	Plan Long Working Distance (No Cover Glass) PLL50x/0.70 Plan Long Working Distance (No Cover Glass) PLL80x/0.80 Plan Long Working Distance (No Cover Glass) PLL100x/0.85(Spring) Plan Achromatic (No Cover Glass) PL100x/1.25
CCD adapter	0.4x 0.5x 1x 0.5x With Dividing 0.1mm/Div
Photo Adapter	2.5x/4x Change Over Photograph Attachment With 10x Viewing Eyepiece 4x Focusing Photograph Attachment MD Adapter PK Adapter
DC Adapter	Canon Digital Camera Adapter