

zygon

www.zygon.ca

info@zygon.ca



ZPA-24 B

PORTABLE AUTOCLAVE



Portable Autoclave

- Ideal for all applications requiring, routine destruction of all living micro-organisms.
- Ideal for all hospitals, nursing homes, microbiology labs, R&D industry.
- Hassle free functioning with preset automatic electronically controlled and auto switch off
- LED display of working sterilization parameters and touch key control panel
- Working temperature of 126°C
- Hand wheel type of quick-open door structure
- Fully stainless steel durable and heat resistant body
- Automatic shut off unit with beep indication after completion of sterilization process
- Electric heating source
- Overheating and pressure warning indicator
- Easy to operate, safe and reliable
- With vacuum pump.

Specifications

ZPA-24 B

Chamber capacity	24L
Chamber dimension	280 × 390 mm
Working temperature	126°C
Operating pressure	0.14 to 0.16 MPa
Heating mode	Electric
Maximum safety pressure	0.165 MPa
Control precision	Temperature $\leq \pm 1^\circ\text{C}$
Temperature adjustment	105 to 126°C
Timer range	0 to 99 min

Maximum power consumption	2 kW
Power supply	AC 220 V / 50 Hz
Overall Dimension	410 × 410 × 750 mm
Net Weight	14 kg
Gross Weight	15 kg