

zygon

www.zygon.ca

info@zygon.ca



ZVA-35L HJ

VERTICAL AUTOCLAVE



Vertical Autoclave

- 304 stainless steel body with hand wheel opening door structure
- Self-inflated seal type ring to prevent leakage
- Needle pressure gauge indicator provides an easily readable display
- Auto protection against over temperature and over pressure
- Two valves: Drain and inlet valve
- Light indicator, indicates working status of sterilization process
- Manual water loading system
- Safety features for pressure and water deficient
- Beeping feature for shutting off after sterilization
- Consists of two stainless steel sterilizing baskets
- Safe, reliable and user friendly operation mode
- Comply with strict international directives and standards

Specifications

ZVA-35L HJ

Capacity (L)	35
Sterilization temperature	134°C
Working sterilization pressure	0.22 MPa
Timer range	0 to 60 min
Control precision	Temperature $\leq \pm 1^\circ\text{C}$
Digital display	No
Maximum power consumption	2.5 kW
Power supply	AC 220 V, 50 Hz

Chamber dimension ($\Phi \times D$)	318 × 450 mm
Dimension (L × W × H)	450 × 450 × 1010 mm
Packaging dimension (L × W × H)	570 × 550 × 1150 mm
Net weight / Gross weight	56 kg / 72 kg