



## ZPH-200 ABA PORTABLE pH METER



## Portable pH Meter

- IP54 waterproof
- 1 to 5 points calibration with automatic recognition for USA, NIST and DIN buffers
- Multi-mode powerscheme (batteries, power adapter and USB port) ensures that using
- Reset function automatically resumes all settings back to the factory defaults
- Calibration due alarm prompts user to calibrate the meter regularly
- 1 point offset calibration allows adjusting the displayed value to a known standard
- Expanded memory stores or recalls up to 500 data sets
- Relative and absolute millivolt modes ensure the reliable ORP measurements General Features
- Automatic temperature compensation ensures accurate readings over the entire range
- Automatic electrode diagnosis shows the pH slope and offset
- Auto-Read function senses and locks the measurement endpoint
- Auto-Power Off effectively conserves battery life
- Setup menu allows to set the pH buffer set, number of calibration points, resolution, stability criteria, temperature unit, date and time, etc.

Specifications	ZPH-200 ABA
pH Measuring Range	-2.000 to 20.000pH
pH Measuring Resolution	0.001, 0.01, 0.1pH, selectable
pH Measuring Accuracy	±0.002pH
pH Calibration Points	1 to 5 points
pH Buffer Options	USA, NIST, DIN, 2 custom buffers
ORP Measuring Range	±1999.9mV
ORP Measuring Resolution	0.1, 1mV, selectable

**ORP Measuring Accuracy** ±0.2mV

ORP Calibration Points 1 point

**ORP Measuring Modes** Relative or absolute mV

**Temperature Range** 0 to 105°C/32 to 221°F

Temperature Resolution 0.1°C/0.1°F

Temperature Accuracy  $\pm 0.5^{\circ}\text{C}/\pm 0.9^{\circ}\text{F}$ 

**Temperature Offset Calibration** 1 point

**Temperature Calibration Range** Reading ±10°C

**Temperature Compensation** 0 to 100°C/32 to 212°F, manual or automatic

Stability Criteria Low or high

Calibration Due Alarm 1 to 31 days or off

**Auto-Power Off** 10, 20 or 30 minutes after last key pressed

Memory Stores up to 500 data sets

**Output** USB

**Connector** BNC, 3.5mm jack socket

**Display** Custom LCD (80×60mm)

**Power** 3×1.5V AA batteries or DC5V power adapter

Battery Life Approximately 150 hours (turn off the backlight)

**Dimensions (LxWxH)**  $170 \times 85 \times 30$ mm

Weight 300g